




# AP Chemistry Review—Acids and Bases

## Activity #2 Worksheet

Record the titration data, then graph volume of NaOH added versus pH.



1. The acid solution is a mixture of hydrochloric acid, HCl, and the diprotic weak acid, maleic acid,  $(\text{CH}_2)_2\text{C}_2\text{O}_4\text{H}_2$ . The concentration of the sodium hydroxide solution is 0.10 molar. Recalling that HCl is a strong acid, that is it completely dissociates in solution and maleic acid is a weak diprotic acid, use the titration curve data and the sodium hydroxide concentration to determine the initial concentration of each acid in the original mixture.
2. The  $\text{p}K_1$  and  $\text{p}K_2$  for a diprotic acid  $\text{H}_2\text{A}$  are given by the equations;

$$\text{p}K_1 = \text{pH} + \log \frac{[\text{HA}^-]}{[\text{H}_2\text{A}]} \qquad \text{p}K_2 = \text{pH} + \log \frac{[\text{A}^{2-}]}{[\text{HA}^-]}$$

Use the titration curve to determine  $\text{p}K_2$ .

# AP Chemistry Review—Acids and Bases

## Activity #3 Worksheet

Record the color of each solution then refer to the indicator chart to determine the pH range for each of the added indicators.

### Data Table

		$\text{Cl}_3\text{CCOOH}$	$\text{ClCH}_2\text{COOH}$	$\text{CH}_3\text{COOH}$
Methyl Red	Color			
	pH			
Bromphenol Blue	Color			
	pH			
Orange IV	Color			
	pH			
Universal Indicator "Rainbow Acid"	Color			
	pH			

### Indicator Chart

Indicator		Acid Color	Transition Color	Base Color
Methyl Red	Color	Red	Peach or Orange	Yellow
	pH	<4.8	4.8–6.0	>6.0
Bromphenol Blue	Color	Yellow	Olive Green	Blue/Violet
	pH	<3.0	3.0–4.6	>4.6
Orange IV	Color	Red	Peach or Orange	Yellow
	pH	<1.4	1.4–2.8	>2.8
Universal Indicator	Color	See Chart		
	pH	1–7		

## Questions

1. Based on your observations, what range of pH values does the half-neutralized acetic acid solution fall into? What is the range for the half-neutralized chloroacetic acid solution? For the half-neutralized trichloroacetic acid solution?

2. For a weak acid (HA),  $K_a$ , the dissociation constant, is equal to:

$$K_a = \frac{[H^+][A^-]}{[HA]}$$

The pH of a weak acid solution can be expressed using the Henderson-Hasselbach equation:

$$pH = pK_a + \log \frac{[A^-]}{[HA]} \quad \text{Equation 2}$$

For weak acids with  $K_a$  values of  $1 \times 10^{-2}$  or less, at half-neutralization the conjugate base concentration,  $[A^-]$ , is essentially equal to the weak acid concentration,  $[HA]$ . Equation 2 becomes

$$pH = pK_a + \log(1) \quad \text{or} \quad pH = pK_a$$

The  $pK_a$  for the 3 weak acids are:

	<b><math>pK_a</math></b>
Acetic acid	4.75
Chloroacetic acid	2.85
Trichloroacetic acid	0.70

Do your pH range estimations agree with these values? If not, what are some possible explanations?