

The Hungry Dragon

Combustion Reactions



Introduction

Colored flames and smoke shoot out of a large test tube when wooden splints or pieces of candy are tossed down its throat!

Concepts

- Combustion reactions
- Exothermic reactions
- Oxidation and oxidizing agents
- Organic chemistry

Materials

Large Pyrex® test tubes, 25 × 200 mm (heavy-walled ignition tubes), 2	Wooden splints
Potassium chlorate, KClO ₃ , 5 g	Candies, small (M&Ms®, Gummy Bears®, etc.)
Sodium chlorate, NaClO ₃ , 5 g	Safety shield
Ring stands, 2	Tongs or forceps, 2
Utility clamps, <i>without rubber sleeves</i> , 2	Table top protection (see <i>Safety Precautions</i>)
Merker or Bunsen burners, 2	

Safety Precautions

This is a teacher demonstration only. Never scale this demonstration up. Perform this demonstration using a safety shield. Use only heavy-walled Pyrex® test tubes and always inspect the test tube for cracks or chips before use. Make sure the potassium chlorate is uncontaminated—contaminated potassium chlorate can flame or explode unexpectedly when heated or moderately shocked. Potassium chlorate and sodium chlorate are strong oxidizers and dangerous fire risks. Contact of potassium or sodium chlorate with metal powders, non-metals such as sulfur, and combustible organic powders may cause fires or explosions. Keep away from contact with organic materials, including rubber stoppers, rubber tubing, etc. Avoid contact with eyes and skin. Do NOT dispose of excess sodium or potassium chlorate in the trash.

Do this activity in an operating fume hood. Cover benchtop with non-flammable covering such as sheet metal or fiberglass sheeting (Sheetrock™ or wallboard also works well). Insert flammables with tongs or forceps. Keep hands back! Never stand in front of the apparatus or aim it at anyone. Wear chemical splash goggles, chemical-resistant gloves, and a chemical-resistant apron. All observers must also wear chemical splash goggles. Please review current Safety Data Sheets for additional safety, handling, and disposal information.

Preparation

Set up the apparatus as shown in the diagram. Be certain that the test tube is clamped securely to the stand. Adjust the burner so the tip of the flame will just touch the bottom of the test tube. *Never stand in front of the apparatus or aim it at anyone. Read all safety precautions and use a safety shield.*

Procedure


1. Place 5 g of pure potassium chlorate into the test tube. Place 5 g of sodium chlorate into a second test tube. Be certain each test tube is well clamped to the stands. Slant tubes as indicated in Figure 1 on the next page.
2. Light the burners and carefully heat the potassium chlorate until it has melted.
3. Using tongs or forceps, carefully thrust a wooden splint into the mouth of each test tube. Step back as flames and smoke are given off! The lavender or purple glow is due to potassium, the yellow-orange glow is from the sodium.
4. Add additional splints, one at a time until oxygen gas production is exhausted. *Note:* Candies may be substituted in place of the splints if desired. The “Dragon” eats the candy, expelling smoke and flames.

Disposal

Please consult your current *Flinn Scientific Catalog/Reference Manual* for general guidelines and specific procedures governing the disposal of laboratory waste. The product of this reaction is predominately potassium chloride and may be disposed of according to Flinn Suggested Disposal Method #26b.

Tip

- This demonstration is dangerous if not performed properly. Carefully read and follow all safety precautions before carrying out the reaction. Practice the demonstration before doing it in front of the class.
- Please do not do this demonstration if you do not have the necessary equipment or experience to perform it safely.



Discussion

When solid potassium chlorate and sodium chlorate are heated, they undergo decomposition reactions producing solid potassium and sodium chloride, respectively, and oxygen gas (Equations 1 and 2). When an organic substance, such as a wooden splint or piece of candy, is added to the molten potassium or sodium chlorate, a combustion reaction occurs between the organic substance and the oxygen produced in the decomposition reaction. Equation 3 is the balanced chemical equation for the combustion of sucrose. The combustion reaction is highly exothermic, producing intense light, heat, and large amounts of combustion products. The color of the flame corresponds to the characteristic flame test—emission color of the alkali metal. The reaction with potassium chlorate produces an intense lavender or purple flame, while the reaction with sodium chlorate burns with a bright yellow-orange flame.



Connecting to the National Standards

This laboratory activity relates to the following National Science Education Standards (1996):

Unifying Concepts and Processes: Grades K–12

Systems, order, and organization
Evidence, models, and explanation

Content Standards: Grades 9–12

Content Standard A: Science as Inquiry
Content Standard B: Physical Science, chemical reactions

Acknowledgments

Special thanks to George R. Gross at Union High School in Union, New Jersey for providing us with the instructions for this activity, and to Jamie Benigna for suggested improvements.

Flinn Scientific—Teaching Chemistry™ eLearning Video Series

A video of the *The Hungry Dragon* activity, presented by Jamie Benigna, is available in *Combustion Reactions* and *Flame Tests*, part of the Flinn Scientific—Teaching Chemistry eLearning Video Series.

Materials for *The Hungry Dragon* are available from Flinn Scientific, Inc.

Catalog No.	Description
P0040	Potassium Chlorate, 500 g
S0216	Sodium Chlorate, 100 g
GP6077	Pyrex [®] Test Tube, Heavy-walled, 25 × 200 mm
AP4444	Splints, Wood, Pkg/100

Consult your *Flinn Scientific Catalog/Reference Manual* for current prices.