

**FLINN**  
**SCIENTIFIC**

1-800-452-1261

# Trusted Brands for your laboratory



**FLINNSCI.COM**

Competitive Prices • Proven Quality • Dedicated Service

# Choose Flinn

## for Trusted Brands



### Quality

Flinn only selects proven, top-quality brands that must pass our in-house laboratory testing before we add it to our selection.



### Availability

You'll receive your complete order—in one shipment—fast and convenient! Most orders ship within 24 hours M-F.

More than  
**10,000+**  
products at  
**flinnsci.com**



### Service

Personalize your online shopping experience or work with a dedicated account rep today.

## It's Easy to Order from Flinn Scientific



#### Online

[www.flinnsci.com](http://www.flinnsci.com)



#### Mail

Flinn Scientific, Inc.  
P.O. Box 219  
Batavia, IL 60510



#### Phone

1-800-452-1261  
7:30 a.m. to 5:00 p.m. CT  
Monday through Friday



#### Fax

1-866-452-1436  
(toll free)



#### Email

[flinn@flinnsci.com](mailto:flinn@flinnsci.com)



## Ohaus Scout® Balances

- Large, high-contrast LCD with backlight
- Increased overload and sudden impact protection
- Sealed front panel and molded spill ring
- Large weighing pan

**8 models available at flinnsci.com**

## Ohaus Pioneer® Plus Precision Balances

- Simple, three-button operation
- External, digital calibration
- Stainless steel pan
- Weighing modes: g, mg, ct, N, oz, gn, dwt, parts counting

**3 models available at flinnsci.com**

## Ohaus Adventurer® Analytical Balances


- Fast stabilization and precise calibration
- Intuitive color touchscreen
- Space-saving draftshield

**2 models available at flinnsci.com**



See more  
**Ohaus**  
at **flinnsci.com**

# Thermo Scientific



## Thermo Scientific® Benchtop Furnace

- Maximum temperature of 1100 °C
- Display shows actual temperature
- Ceramic fiber insulation
- Embedded heating element

AP7601 available at [flinnsci.com](http://flinnsci.com)

## Thermo Scientific® Orion Star™ Benchtop Advanced pH Meter Kit

- Large LCD displays pH or mV reading and temperature
- Three-point calibration with auto-buffer recognition
- Range: -2.00 to 16.00 pH, -5 to 105 °C
- Storage memory for 50 data points

AP7633 available at [flinnsci.com](http://flinnsci.com)



## Thermo Scientific® Cimarec™ Digital Hot Plates

- Maximum temperature of 540 °C
- Easy-to-read digital display
- Integral ring-stand holder
- Hot surface safety alert system

2 sizes available at [flinnsci.com](http://flinnsci.com)



# Thermo Scientific, continued



## Thermo Scientific® Spectronic 200

- Automatically performs a zero %T measurement at start-up
- One-button 100% T measurement
- Records measurements every two seconds
- Adjustable-tilt color display with pre-loaded software

AP7453 available at [flinnsci.com](http://flinnsci.com)

## Thermo Scientific® mySPIN™ Microcentrifuge

- Tool-free rotors and quick-spin options
- Compact footprint
- Capacity: 12 mL × 2 mL
- Ideal for microfilter cell separation and HPLC protocols

AP9459 available at [flinnsci.com](http://flinnsci.com)



# Unico

## Unico® UV-Vis Spectrophotometer

- Wavelength range: 200–1000 nm
- Ultraviolet and visible spectroscopy with one instrument
- Extended key panel for easy operation and convenient programming
- Storage memory for up to 200 test methods/standard curves

AP7596 available at [flinnsci.com](http://flinnsci.com)



# Flinn Scientific

## Flinn Scientific® Spectrophotometer

- Simple one-button operation
- Wide wavelength range of 335–1000 nm
- Built-in automatic filter wheel
- Easy-to-see stable LCD display

AP7026 available at [flinnsci.com](http://flinnsci.com)



## Flinn Scientific® Multi-Sample Spectrophotometer

- Load up to four samples at once
- Industry-leading wavelength range of 320–700 nm
- Sample holder can be moved using a mechanical arm to shuttle between samples without unloading and reloading the instrument

AP8502 available at [flinnsci.com](http://flinnsci.com)

MORE THAN 10,000  
HIGH QUALITY PRODUCTS



AVAILABLE at  
[FLINNSCI.COM](http://FLINNSCI.COM)

# Flinn Scientific, continued

## Flinn Scientific® Hot Plates and Magnetic Stirrers

- State-of-the-art ceramics and safe heating features
- Adjustable stirrer speed: 200–2500 rpm
- Embedded heating elements
- Reaches maximum temperature (538 °C) within eight minutes

7 models available at [flinnsci.com](http://flinnsci.com)



## Flinn Scientific® Mini Centrifuge

- Compact, quiet and affordable
- Reaches 6,000 rpm in seconds
- Instantly decelerates to a stop when the lid is opened
- Includes two rotors and 0.5- and 0.2-mL adapters

FB2073 available at [flinnsci.com](http://flinnsci.com)

# Flinn Scientific, continued



## Flinn Scientific® Analytical Balances

- High-accuracy, high-precision load cells
- Readability of 0.0001-g
- Near-frictionless draft shields
- Stability time can be adjusted for small samples

**2 models available at flinnsci.com**



## Flinn Scientific® Electronic Balances

- Readability to 0.1, 0.01 or 0.001 grams
- Internal calibration weight storage
- Overload protection
- Protective flip-down cover

**6 models available at flinnsci.com**



## Flinn Scientific® Goggle Sanitizer

- Stores 36 pairs of chemical splash goggles or safety glasses
- Longer life, high-intensity ultraviolet, 25-watt lightbulb
- Viewing screen, 15-minute timer, key lock
- Fully assembled; constructed of 24-gauge steel with white enamel finish

**SE1000 available at flinnsci.com**



# Flinn Scientific, continued

## Flinn Advanced Research Microscope

- Four Plan objectives, including a 100X oil-immersion
- Koehler illumination combined with Infinity Plan achromatic objectives and eyepieces
- Large, high-quality graduated mechanical stage with precise increments for measurement accuracy and precision at all magnification levels
- Gemel-style binocular head reduces eye fatigue.
- Cool LED illumination produces even lighting and protects live specimens from heat.
- Safety stop rack prevents damage to slides and objectives.
- Tension adjustment eliminates stage drift and maintains movement of focus knobs.
- Slip clutch prevents damage to rack and pinion focusing system.
- Objectives and eyepieces are individually packaged in a dust-free environment to arrive clean and ready to install.
- Includes power supply and dust cover.
- Five-year limited warranty

MS1182 at [flinnsci.com](http://flinnsci.com)

**25+** microscopes  
**400+** prepared slides  
at [flinnsci.com](http://flinnsci.com)



# Flinn Scientific, continued

## Flinn Online Chemventory™

[www.chemventory.com](http://www.chemventory.com)

### Chemical Inventory Management System

The Flinn Online Chemventory™ is a cloud-based laboratory chemical inventory system that allows multiple users access to the database from multiple locations and multiple devices! Maintaining an accurate laboratory chemical inventory has never been easier, more flexible and convenient.

#### The Flinn Online Chemventory™ program features:

##### Secure Cloud-Based Service

Flinn's Online Chemventory™ is a secure cloud-based service that can be accessed by any computer or tablet with an internet connection.

##### Multiple Users

Setup one database and invite other instructors, lab managers and/or administrators to view or update your Chemventory™ database for no additional charge.

##### Print Chemical and Solution Labels

Print a chemical label for any chemical in your inventory or manually create a chemical label for any item not in your inventory. With Flinn Online Chemventory™ you will have the ability to include GHS pictograms and hazard statements on labels for over 2,400 chemicals.

##### Link Databases

If you have multiple chemical store room locations on campus, it may be more manageable to keep chemical inventory files in more than one Chemventory™ database. Flinn has made it easy to set-up multiple databases and link access to users.

##### GHS Hazard Information Included

We have included GHS pictograms and hazard information with every chemical listed in our Online Chemventory™ database. GHS pictograms and hazard statements can also be printed on chemical labels through the Online Chemventory™ program.

##### Print Multiple SDS with One Click


Print all, some, or just one safety data sheet with one click.

##### Low Stock Notifications on Inventory Page

Set a minimum reorder amount of your chemicals. When your stock drops below that number, a notification will appear in your inventory list.

##### Affordable and Convenient Price Options

A one-time purchase gets you 1, 3 or 5 years of access to build, view and update your chemical inventory database.



# Hydrion



## Hydrion® pH Paper

- Industry-leading pH paper
- Wide range and narrow range
- Rolls, strips and dip tests
- Low Ion pH test paper available

**30+ options available at [flinnsci.com](http://flinnsci.com)**



### DLAB Micropette™ Plus Micropipets

- Fully autoclavable
  - Ergonomic, comfortable design
  - Chemical-resistant
- 25+ sizes available at [flinnsci.com](http://flinnsci.com)

### DLAB dPette™ Adjustable Volume Electronic Micropipets

- Innovative two-button design
  - Three different modes
  - Bright, digital displays
  - Adjustable speeds
- 4 sizes available at [flinnsci.com](http://flinnsci.com)



### DLAB dTrite™ Digital Buret

- Built-in magnetic stirrer with support platform
  - Electronic digital remote control panel
  - 0.01 mL to 99.99 mL
- AP9540 available at [flinnsci.com](http://flinnsci.com)

Linear and Carousel  
Micropipet Stands  
available at  
[flinnsci.com](http://flinnsci.com)

## DLAB, continued

### DLAB FlatSpin™ Compact Magnetic Stirrer

- Ultra-thin, compact design
- Wide range of speed from 15 to 1500 rpm
- Automatic reverse rotation for excellent mixing
- Ultra silent operation and vibration-free

AP9551 available at [flinnsci.com](http://flinnsci.com)



See more at  
[www.flinnsci.com](http://www.flinnsci.com)

### DLAB dFlow™ Digital Bottle Top Dispenser

- Motor operation to minimize the grip force
- External electronic control through a remote panel
- Two dispensing modes: dispenser and stepper
- Volume range: 0.01 mL–99.99 mL

AP9541 available at [flinnsci.com](http://flinnsci.com)



### DLAB Multi-Channel Magnetic Stirrers and Hot Plates

- Stirring speed range of 0–1100 rpm
- Choose between 10 and 16 stirring positions
- Maximum temperature of 120 °C
- 4 independent speed control channels available

3 models available at [flinnsci.com](http://flinnsci.com)

# Eppendorf



## Eppendorf® Reference® 2 Micropipets

- Ergonomic design with state-of-the-art technology
- Innovative single button operation
- Sturdy handle manufactured with stainless steel
- Spring-loaded bumpers

**7 models available at flinnsci.com**



## Eppendorf® epT.I.P.S.® Pipet Tips

- epT.I.P.S. (Eppendorf Totally Integrated Pipetting System)
- Reduced-force tip attachment
- Ejection with complete sealing
- Can be used with pipets from other manufacturers

**4 options available at flinnsci.com**

## Eppendorf® Maxipettor

- Large-volume micropipet
- Optimized for work with viscous or high-vapor pressure solutions
- Simple, one-hand operation
- Also allows for aspirating liquids

**AP9353 available at flinnsci.com**



## Eppendorf® Varispenser® Bottle Top Dispenser

- Available in 6 sizes for dispensing volumes from 0.25–100 mL
- Dispensing selected volumes without reagent waste
- Tight seal protects against chemical contact
- Chemical-resistant and fully autoclavable

**6 sizes available at flinnsci.com**



# Vistalab

## Vistalab™ Ovation® Mechanical Adjust Pipet

- Mechanical precise “click stop” volume adjustment
- 2-stroke (overblow) low-force plunger operation
- Autoclavable for easy sterilization
- Built-in microtube cap opener and shelf hanger

**6 sizes available at [flinnsci.com](http://flinnsci.com)**



## Vistalab™ Ovation® Single Channel Electronic Pipet

- Fully electronic operation
- 3 custom programmable volume presets
- Programmable functions include multi-dispensing, serial dilutions, mixing, reverse pipetting and pipetting speed

**4 sizes available at [flinnsci.com](http://flinnsci.com)**



## Vistalab™ MLA D-Tipper Pipet, 10 µL

- Single stroke “to deliver” operation
- Built-in tip ejector and glove guard
- Available in fixed volumes from 10 µL to 1000 µL

**8 sizes available at [flinnsci.com](http://flinnsci.com)**




More than  
**10,000+**  
products at  
**[flinnsci.com](http://flinnsci.com)**

## Edvotek® Six-Gel Electrophoresis Apparatus

- Oversized, seamless, injection-molded tank
- Removable platinum-coated electrodes
- Transparent lid for clear monitoring of run
- Includes six removable 7 × 7 cm trays and adjustable leveling feet

**FB1713 available at flinnsci.com**



## Edvotek® MiniGel™ and Gemini Split Tray™

- MiniGel™ is designed for ease in gel casting, handling and sample delivery
- Gemini Split Tray™ is an accessory to the MiniGel™.
- With the Gemini Split Tray™, two separate 7 × 7 cm gels can be run simultaneously.

**Available at flinnsci.com**



## Edvotek® EdvoCycler™ Thermal Cycler

- Thermal block accommodates 25, 0.2-mL, thin-walled microtubes
- Precisely raises and lowers the temperature according to a pre-set program
- Pre-programmed common PCR protocols
- New protocols can be added with temperatures as low as 4 °C or as high as 99 °C

**FB1891 available at flinnsci.com**

## Edvotek® UV Light Transilluminator

- Midrange UV transilluminator is optimized to visualize DNA bands stained with either ethidium bromide or SYBR® Safe
- UV filter measures gels up to 7 × 14 cm
- UV-blocking cover protects users from the UV light
- Automatic lamp shut-off if cover is opened

**FB2233 available at flinnsci.com**



# Barnstead

## Barnstead® Demineralizer and Cartridges

- Bantam® type and Hose-Nipple type are available
- Choose from standard and ultrapure cartridges
- Organic-removal cartridge available for hose-nipple type demineralizer
- Detailed specifications at [flinnsci.com](http://flinnsci.com)

Available at [flinnsci.com](http://flinnsci.com)



## Barnstead® Classic Water Still

- Electrically heated with inert pure tin pathways
- Double-walled boiler and preheating of feed water
- Vented condenser allows stripping of gaseous impurities
- Unique de-concentrator removes scale forming impurities

AP1049 available at [flinnsci.com](http://flinnsci.com)



## Barnstead® Portable Water Still

- Requires no permanent plumbing or electrical connections
- Includes low water cut-off for safety protection
- Effectively removes inorganic solids, organics, bacteria, and pyrogens
- Unique de-concentrator removes scale forming impurities

AP1050 available at [flinnsci.com](http://flinnsci.com)



## Barnstead® Mega-Pure Water Still

- Fast water production: 1.4 liters per hour
- Quality of distillate: 1 MegaOhm resistance
- Vents allow for removal of volatile organics
- Built-in, automatic over-temperature protection

AP1048 available at [flinnsci.com](http://flinnsci.com)



# Tuttnauer



## Tuttnauer® Heidolph® Benchtop Sterilizer

- Compact sterilizer with electronic controls and heat insulation technology
- Stainless steel chamber and door featuring a lock-out switch
- Automatic shutoff prevents overheating
- Chamber volume of 23 L with a 10" diameter

**AP9458 available at flinnsci.com**

## Tuttnauer® Benchtop Water Distiller

- Fast water production: 3.79 L (1 gallon) in 4.5 hours
- Automatic shutoff after 1-gallon cycle
- Removable boiler for easy fill
- Unique recessed heating base to reduce scale build-up

**AP7384 available at flinnsci.com**



See more at



[www.flinnsci.com](http://www.flinnsci.com)



## Tuttnauer® Autoclaves

- Easy, safe and reliable steam sterilization
- Fully automatic and no plumbing required
- Four fully adjustable, single-button programs
- Heat-insulating locking door

**2 sizes available at flinnsci.com**

# Coors

## Coors® Porcelain Crucibles

- High-quality ceramic technology
- Uniform wall thickness with even glazing
- Safe to use at high temperatures
- Wide-form and high-form available

**11 sizes available at [flinnsci.com](http://flinnsci.com)**



## Coors® Porcelain Mortars and Pestles

- High-quality ceramic technology
- Outside glazing
- Uniform wall thickness with lip on mortars
- Sold individually and in cases

**6 sizes available at [flinnsci.com](http://flinnsci.com)**



**One Warehouse.**

**One Shipment.**

**Less Hassle.**

Most Orders Ship  
Within 24 Hours M-F



# 3B Scientific



## 3B Scientific® Muscled Arm

- Superficial and deeper muscles, five of which are removable
- Tendons, vessels, nerves and bone components shown in detail
- Parts are numbered
- 23½" H × 7" L × 7" W

**FB2266 available at  
flinnsci.com**



## 3B Scientific® Muscular Leg, 9-Part

- Superficial and deeper muscles, eight of which are removable
- Tendons, vessels, nerves and bone components shown in detail
- Removable stand
- 30¼" H × 10¼" L × 10¼" W

**FB2267 available at  
flinnsci.com**



## 3B Scientific® Muscular Figure

- Mini (57-cm) muscle figure on a base
- Superficial musculature of the human form is accurately reproduced
- Chest plate is removable to reveal internal organs
- More than 125 hand-numbered and identified structures

**FB2248 available at flinnsci.com**

## 3B Scientific® Functional Joints

- Hip, knee, elbow and shoulder models available
- Fully flexible models demonstrate abduction, anteversion, retroversion and internal/external rotation
- Functional joint models come on stands for easy study and display

**4 models available at flinnsci.com**



# 3B Scientific, continued



## 3B Scientific® Super Skeleton Sam

- Demonstrate the movements of the skull via the head joints
- Adjust the model to place it in natural body postures
- Hanging or rod mount available; 176.5 cm
- More than 600 structures including numbered bones, flexible ligaments, and flexible spine with slipped disc

**2 options available at flinnsci.com**

## 3B Scientific® Digestive System Model

- Demonstrates the entire digestive system in graphic relief
- Model is mounted on base-board for easy display
- Two- and three-part models available
- 32" H x 13" W x 4" D


**2 models available at flinnsci.com**



## 3B Scientific® Dentition Development Model

- Contains four upper and lower jaw halves
- Displays four different developmental stages
- Mounted on a stand; 13" H x 4" W x 8" D

**FB2251 available at flinnsci.com**



## 3B Scientific® Deluxe Dual-Sex Torso


- High standard of detailed manufacturing
- 24 removable parts
- Hand-painted with attention to detail
- 87 cm x 38 cm x 25 cm

**FB2247 available at flinnsci.com**

## Vernier® LabQuest 2® Interface

- May be used as a stand-alone device that collects and analyzes data
- Stream data wirelessly or connect via USB
- Protected by rubber overmolding
- Color touch screen, with LED backlight
- Internal GPS, microphone, relative light and temperature sensors

**TC1561 available at flinnsci.com**



## Vernier® Go Direct™ Sensor System

- New wireless technology for enhanced laboratory freedom
- Go Direct™ sensors connect directly to your mobile device, Chromebook or computer using the free Graphical Analysis™ 4 app and can be used wired via USB or wirelessly via Bluetooth.
- Measure temperature, pH, gas pressure, motion, melting points, voltage, drops, conductivity, radiation, absorbance, current, ORP, force, acceleration, light, color and magnetic fields.

**16 options available at flinnsci.com**

## Vernier® Mini GC™ Plus

- Perfect instrument for separating, analyzing and identifying substances contained in a volatile liquid or gaseous sample
- Two operating levels of sensitivity
- Temperature range is 30–160 °C with flexibility to design temperature profiles
- Includes pressure controls, injection port and capillary column

**TC1591 available at flinnsci.com**



# Nalgene



## Nalgene® Safety Waste Systems

- Minimize accidental spills and volatile emissions
- Safety waste funnel has an Easy Snap safety latch
- Includes a vent to release pressure when pouring

**2 sizes available at flinnsci.com**



## Nalgene® Biohazardous Waste Containers

- Conduct secondary containment of biohazardous waste
- Convenient one-step sterilization
- Port opening in the cover allows for one-handed disposal

**3 sizes available at flinnsci.com**



# Kimberly Clark



## Kimberly-Clark® Nitrile Gloves

- Powder-free purple nitrile gloves
- Made from a highly durable synthetic
- Textured fingertips

**5 sizes available at flinnsci.com**

# Uvex



## Uvex® Safety Goggles

- Molds perfectly to most facial contours
- Anti-fog, anti-scratch and anti-static with splash and impact protection
- Indirect ventilation and a UV rating of 99.9%
- Meets ANSI Z87+ standards

**AP7474 available at flinnsci.com**

## SciMatCo® Benchtop Acid Cabinet

- Nine-ply, exterior grade, high density plywood with a chemical-resistant paint finish
- Acid-resistant all-wooden hinges and polypropylene locking assembly
- Rabbeted wooden joints for maximum strength and superior structural integrity
- 2" liquid-tight trough on cabinet floor for spill containment
- Acid bottle capacity: 5 × 2.5 L acid bottles; 16 × 500 mL acid bottles
- Exterior: 21¼" H × 16¾" W × 15¾" D
- Interior: 19" H × 14¾" W × 13" D

**SE8063 available at flinnsci.com**



## SciMatCo® Acid Cabinet

- All wooden construction—will not rust or corrode
- Recessed top includes a liquid-tight 0.125"-thick polypropylene tray
- Rabbeted wooden joints for maximum strength and superior structural integrity
- Interlocking wooden door assembly
- 2" liquid-tight trough on cabinet floor for spill containment
- Available as fully lined or partially lined
- Exterior: 36½" H × 31" W × 20" D
- Interior: 28½" H × 29" W × 17¼" D

**2 models available at flinnsci.com**

# SciMatCo<sup>®</sup>, continued



## SciMatCo<sup>®</sup> Floor Flammables Cabinets

- UL listed and meets NFPA and OSHA standards
- Constructed of 1" thick high-density, 9-ply exterior grade plywood
- 2" liquid-tight trough on cabinet floor for spill containment
- One variable-position shelf mounted on metal shelf standards and supports
- Rabbeted wooden joints for maximum strength and superior structural integrity
- Finished with chemical-resistant bright yellow paint
- Available in 30-gallon or 54-gallon sizes, with or without a self-closing door, and with flame arrestors upon request

**4 models available at [flinnsci.com](http://flinnsci.com)**

## SciMatCo<sup>®</sup> Benchtop Flammables Cabinet

- UL listed and meets NFPA and OSHA standards
- Constructed of 1" thick high-density, 9-ply exterior grade plywood
- 2" liquid-tight trough on cabinet floor for spill containment
- Rabbeted wooden joints for maximum strength and superior structural integrity
- Finished with chemical-resistant bright yellow paint
- Available with or without a self-closing door and with flame arrestors upon request
- Capacity: 6 gallons
- Exterior: 16<sup>3</sup>/<sub>4</sub>" W × 15<sup>3</sup>/<sub>4</sub>" D × 21<sup>1</sup>/<sub>4</sub>" H
- Interior: 14<sup>3</sup>/<sub>4</sub>" W × 13" D × 19" H

**2 models available at [flinnsci.com](http://flinnsci.com)**



# SciMatCo<sup>®</sup>, continued

## SciMatCo<sup>®</sup> Stak-a-Cab<sup>™</sup> Cabinet

- Flammables cabinets are UL listed and meets NFPA and OSHA standards
- Acid cabinets feature all-wooden construction to eliminate corrosion
- Constructed of 1" thick high-density, 9-ply exterior grade plywood and finished with chemical-resistant paint
- 2" liquid-tight trough on cabinet floor for spill containment
- Rabbeted wooden joints for maximum strength and superior structural integrity
- Flammables cabinets are available with or without a self-closing door and with flame arrestors upon request
- Choose from acid, flammables or combination cabinets

**5 options available at flinnsci.com**



## SciMatCo<sup>®</sup> Poison Cabinet

- Provided with a heavy-duty lock and two keys for extra security
- Constructed of 1" thick high-density, 9-ply exterior grade plywood and finished with chemical-resistant paint
- 2" liquid-tight trough on cabinet floor for spill containment
- Rabbeted wooden joints for maximum strength and superior structural integrity
- One fixed-position, half cabinet depth shelf with anti-roll off lip
- Exterior: 21¼" H × 16¾" W × 15¾" D
- Interior: 19" H × 14¾" W × 13" D

**SE6080 available at flinnsci.com**



## Periodic Table, Giant

- Printed on a durable corrugated plastic with protected edging
- Huge 8' x 4' periodic table chart
- Element symbol, atomic weight and number are all shown
- Chart can be folded when not in use and comes with a sturdy storage box
- Updated 2017

AP8866 available at [flinnsci.com](http://flinnsci.com)

**Updated with  
new elements!**

**PERIODIC TABLE OF THE ELEMENTS**

The periodic table shows elements from Hydrogen (H, 1) to Oganesson (Og, 118). The bottom right corner highlights four newly named elements: Nh (Nihonium, 113, atomic weight 286), Mc (Moscovium, 115, atomic weight 289), Ts (Tennessine, 117, atomic weight 294), and Og (Oganesson, 118, atomic weight 294). The table is color-coded by groups and periods.


## Work with a Dedicated Account Representative

Contact Flinn today to meet your area rep and begin your personalized experience



**800-452-1261**



# Laboratory Safety Course for Undergraduates



Online training for students on any connected device



## Students

- View Engaging Video
- Complete a Safety Assessment
- Agree to Safety Guidelines
- Receive a Safety Certificate

## Affordable Pricing Options

- Individual Student License **\$4.95**
- Classroom License (1-30) **\$99.00**
- Classroom License (31-60) **\$179.00**
- Classroom License (61-100) **\$299.00**

Contact Flinn for pricing of classrooms larger than 100.

## Instructors

- View Course Content for Free
- Create Digital Classrooms
- View Student Progress
- Keep a Digital Record of Training

Sign up for a Free Teacher Account and Preview the Course at  
**[www.flinnprep.com](http://www.flinnprep.com)**

**FLINN**  
SCIENTIFIC

P.O. Box 219  
Batavia, IL 60510

**TRUSTED BRANDS • PROVEN QUALITY**



**FLINNSCI.COM**

More than **10,000** professional-grade products **available** for **immediate** delivery